


SLIDE TRAVEL	" L "	" M "
6.00	27.00	25.50
12.00	33.00	31.50
18.00	39.00	37.50
24.00	45.00	43.50
30.00	51.00	49.50
36.00	57.00	55.50
42.00	63.00	61.50
48.00	69.00	67.50
54.00	75.00	73.50
60.00	81.00	79.50
66.00	87.00	85.50
72.00	93.00	91.50
84.00	105.00	103.50
96.00	117.00	115.50
108.00	129.00	127.50
120.00	141.00	139.50
144.00	165.00	163.50
180.00	201.00	199.50
216.00	237.00	235.50



TOLERANCE AND MACHINING NOTES
 (UNLESS OTHERWISE SPECIFIED)
 DRAWING PRACTICES, GEOMETRIC SYMBOLS,
 DIMENSIONING, TOLERANCING AND
 INTERPRETATION BASED ON ANSI Y14.5.
 COMPL. TOL. APPLY TO STOCK SIZES.

1 PL DEC	2 PL DEC	3 PL DEC	ANGLES
± .06	± .02	± .005	± 0.5

DO NOT SCALE DWG.
 UNLESS OTHERWISE SPECIFIED,
 MACHINED SURFACE FINISH IS 125
 DIMENSIONS ARE IN INCHES.
 DEBURR ALL HOLES.
 BREAK ALL SHARP EDGES.

GENERIC → **SLIDES**

1049 WILLIAM FLYNN HWY. SUITE 300, GLENSHAW, PA 15116

DATE: 11/28/08

PROPRIETARY NOTICE
 THIS DOCUMENT CONTAINS INFORMATION
 WHICH IS PROPRIETARY TO GENERIC SLIDES
 IT MAY NOT BE REPRODUCED, DISCLOSED
 OR UTILIZED IN WHOLE OR IN PART
 WITHOUT WRITTEN AUTHORIZATION.

DWG. TITLE: MS1800 - POSITIONING SLIDE

MODEL NO.: MS1800

TRAVEL: 000

SCALE: 1 : 1

ITEM NO.: 00

SHT.: 1

REV.: 1

DRAWING SIZE: A